

## Data sheet index


- BASKET HOOP ANTI-VANDALIC BASKET WITH ANCHORAGE.....2
  - Structure and anchorage to the ground. ....3
  - Frame stabilization system.....3
  - Frame.....4
  - Materials. ....4



In order to constantly improve the quality of our products, Euronix reserves the right to modify any of the technical characteristics.

- **BASKET HOOP ANTI-VANDALIC BASKET WITH ANCHORAGE.**

The basket hoops **BASKET EUROGROUND** which have a 1,00 meters cantilever, are made according to the guideline, and are designed to be able to install in whatever exterior surface.



**euronix**  
sport

They are made fundamentally of:

- Structure and anchorage to the ground.
- The frame stabilization system.
- Frame (and accesories)

Building Sports


In order to constantly improve the quality of our products, Euronix reserves the right to modify any of the technical characteristics.

○ **Structure and anchorage to the ground.**

It's made of two 100x100x3 square profiles welded in angle and joined by a 100x100x3 square that ensures the stability of the structure.

The foot of the basket hoop is fixed by a plate and 4 reinforcement squares. The plate is screwed to the anchorage provided by Euronix, on this way the equipment acquires a totally fixation, stability, and rigidity.

In addition, a galvanized treatment is given to make it resistant to adverse weather conditions.



○ **Frame stabilization system.**

The basket frame is fully established by two stiffeners made of a pair of tubes that joins the structure with the frame, guaranteeing 100% the straightness of the board, obtaining the desired perpendicularity with respect to the ground.

In order to constantly improve the quality of our products, Euronix reserves the right to modify any of the technical characteristics.


○ **Frame.**

The panel is metallic with a 1200x900mm American look, made with steel plates which have strong anticorrosive properties given by the sealed zinc treatment, and it has an anti-vandalic fix rim.

It has a design personalized by Euronix, so it is a totally exclusive product.

○ **Materials.**

Element	Specification
Profiles / Plates / Frame	S235 JR y S275 JR Steel
Screws	Zinc (Zn) Quality 8.8



Ref.	Finish	Dimensions (m)	Weight (Kg.)
EB019E	Galvanized	1 bag of 2,59x0,26x1,20	85
		1 bag of 0,20x1,80x1,05	

In order to constantly improve the quality of our products, Euronix reserves the right to modify any of the technical characteristics.